

CONCUSSION PREVENTION

by: DR. TREVOR L. HALL, MD, CCFP, DIP. SPORT MED

A concussion is a diffuse “shaking” injury to the head that temporarily alters brain function. A concussion can occur either from a direct blow to the head or from a severe twisting motion (whiplash or rotational mechanism). The most common concussion symptoms are headache, dizziness, nausea, blurred vision, memory and concentration problems, and occasionally loss of consciousness. Concussions can cause long-term problems in brain function that can have a severe impact on school and work, and have even caused many professional hockey players to retire.

The hottest area in concussion prevention these days is “neurocognitive” testing. Because a concussion cannot be detected by standard medical tests (e.g., X-rays, CT scans, MRI’s) physicians needed new ways of measuring the ill-effects of concussions. Neurocognitive assessment involves a set of tests that measure brain function such as memory, attention, concentration and information processing.

This type of testing has been used extensively in the National

Hockey League and the Ontario Hockey League. A player takes a “baseline” test at the start of the season, and if he sustains a concussion during the season then a follow-up neurocognitive test is done and compared to the baseline.

The results of this testing helps a physician decide whether the player is still suffering from the effects of a concussion and when he or she can safely return to playing hockey. A critical rule in concussion management is that no player should ever return to contact sport while suffering any symptoms from a concussion.. Also, if a player goes back to play too soon after recovering from a concussion, he or she will be much more susceptible to suffering another one. Neurocognitive testing also detects the long-term complications that can occur from multiple concussions.

Besides neurocognitive testing, there may be other ways of preventing concussions. All hockey players should be taught to keep their heads up while on the ice. They should be aware of other players around them, especially when going into the boards for pucks or carrying the puck

to mid-ice while crossing the blue line. Strengthening neck muscles and “core” abdominal muscles may be able to reduce the impact forces transmitted to the brain. Proper rule enforcement is essential to prevent hits from behind and “high (head) hits”. Ensuring that helmets are properly fitted and maintained is also very important.

Please consult with a sports medicine physician for further information regarding the medical aspects of concussion treatment and prevention.

Dr. Trevor L. Hall, MD, CCFP, Dip.



Sport Med., is a sports medicine physician, certified by the Canadian Academy of SportMedicine and fellowship-trained at the University of Toronto.

He is an assistant clinical professor at the McMaster University Medical School and a guest lecturer at the University of Waterloo. He has worked internationally with Canadian national teams and currently is sports medicine consultant for WLU football Team. Dr. Hall has extensive experience working with hockey teams including the Toronto Maple Leafs, Kitchener Rangers, University of Toronto and University of Waterloo.

For more Injury Info Articles, visit our website (www.grsm.ca)

CAMBRIDGE
40 George Street North
cambridge@grsm.ca
519-622-4529



- * Sports Medicine Physician *
- * Physiotherapy * Massage Therapy *
- * Athletic Therapy * Sports Nutrition *
- * Sport Bracing * Video Analysis *
- * Osteopathy * Pilates *
- * Chiropractic * Active Release Therapy *
- * Custom Foot Orthotics *

KITCHENER
700 Strasburg Road, Unit S32
kitchener@grsm.ca
519-571-7111

